Viagra 100mg Tablet

PRODUCT INTRODUCTION

<u>Viagra 100mg Tablet</u> is a prescription medicine used to treat erectile dysfunction (impotence) in men. It works by increasing blood flow to the penis. This helps men to get or maintain an erection. It belongs to a group of medicines known as phosphodiesterase type 5 (PDE 5) inhibitors.

Viagra 100mg Tablet may be taken on an empty stomach or with a meal. It should be strictly taken as advised by your doctor. You should take about 1 hour before you plan to have sex. The amount of time it takes to work varies from person to person, but it normally takes between 30 minutes and 1 hour. This medicine will only help you to get an erection if you are sexually stimulated. However, you should not take this medicine if you do not have erectile dysfunction. It should not be taken more than once a day.



The most common side effects of this medicine are flushing (sense of warmth), headache, dizziness, blurred vision, muscle pain, stomach upset, and rash. Talk to your doctor if any of the side effects bother you or do not go away.

This medicine is not intended for use by women and men should avoid using any other medicines to treat impotence without talking to a doctor first. It can be dangerous to take it along with medicines called nitrates (often given for chest pain or angina). Do not take this medicine if you have severe

heart or liver problems, have recently had a stroke or heart attack or if you have low blood pressure. Let your doctor know if you suffer from these or any other health problems before taking it. You should not drive if this medicine makes you feel dizzy. Avoid drinking alcohol while taking this medicine as it increases the chances of side effects.

USES OF VIAGRA TABLET

• Treatment of Erectile dysfunction

BENEFITS OF VIAGRA TABLET

In Treatment of Erectile dysfunction

Viagra 100mg Tablet belongs to a group of medicines called PDE5 inhibitors. It works by relaxing the blood vessels in your penis. This allows blood to flow into the penis and produce an erection when sexually aroused. This medicine will only help get an erection if you are sexually stimulated. It is very effective but needs to be taken at least 30 minutes before sexual activity.

Do not take this medicine if you also take medicines called nitrates (often given for chest pain).

SIDE EFFECTS OF VIAGRA TABLET

Most side effects do not require any medical attention and disappear as your body adjusts to the medicine. Consult your doctor if they persist or if you're worried about them

Common side effects of Viagra

- Flushing (sense of warmth in the face, ears, neck and trunk)
- Headache
- Stiffness
- Nosebleeds
- Blurred vision
- Indigestion
- Muscle pain
- Upset stomach
- Rash

Buying Viagra online

To <u>buy Viagra online</u> you need to find a suitable online pharmacy. After placing an order, you will need to find out how much the prescribed dose of Viagra includes, and then start taking it.

While you are taking it, make sure to drink plenty of water and eat healthy to keep your erection strong. Viagra will be effective in approximately one hour.

To be sure you stay focused and have an erection, you should not use anything in the 2.5 hour window, such as taking a nap, going to sleep, etc.

Before you buy Viagra, make sure you thoroughly read and understand the ingredients list to ensure that you have the correct product for your needs.

Buy Viagra 50mg Online,

Buy Viagra Online,

Buy Viagra Online Cheap,

Buy Viagra Online without Prescription,

Buying Viagra Online,

Cheap Viagra Online,

erectile dysfunction,

Order Viagra Online,

Purchase Viagra Online,

Sildenafil Pills.